



국가신약개발사업단
Korea Drug Development Fund


글로벌 제약사 파이프라인 분석

- GSK -


2022. 09.
국가신약개발사업단



- 질환별 파이프라인



- 물질별 파이프라인



- 상세 파이프라인

| No. | 질환분야 | 개발단계 | 코드 | 제품명 | 성분명 | 적응증 | 물질 | 타겟 | 작용기전 | 단독/병용 | 파트너 |
|-----|-------------|--------------|-------------|---------|-------------|---|-----------------|-----------------------------|--|-------|----------|
| 1 | Infectious | Registration | GSK3536820A | Menveo | | Meningococcal A, C, W, Y disease prophylaxis, adolescents | Vaccine | N/A | Conjugated-liquid formulation vaccine | Mono | - |
| 2 | Infectious | Registration | GSK4182136 | Xevudy | sotrovimab | COVID-19 | Antibody | SARS-CoV-2, SARS, ACE2, CD4 | Anti-spike protein antibody | Mono | - |
| 3 | Infectious | Registration | GSK4353001A | | | COVID-19 | Vaccine | N/A | Recombinant protein-adjuvanted vaccine | Mono | Sanofi |
| 4 | Infectious | Registration | GSK4362620A | | | COVID-19 | Vaccine | N/A | Recombinant protein-adjuvanted vaccine | Mono | Medicago |
| 5 | Infectious | Registration | SB209762 | Priorix | | Measles, mumps, rubella prophylaxis | Vaccine | N/A | Live attenuated vaccine | Mono | - |
| 6 | Infectious | Registration | SB444563 | Rotarix | | Rotavirus prophylaxis | Vaccine | N/A | Live attenuated, PCV free vaccine | Mono | - |
| 7 | Dermatology | Phase 3 | GSK2330672 | | linerixibat | Cholestatic pruritus in primary biliary cholangitis | Small molecules | IBAT | IBAT inhibitor | Mono | - |
| 8 | Hematology | Phase 3 | GSK1278863 | Duvroq | daprodustat | Anaemia associated with chronic renal disease | Small molecules | EGLN | EGLN inhibitor | Mono | - |
| 9 | Immunology | Phase 3 | GSK3196165 | | otilimab | Rheumatoid arthritis | Antibody | GM-CSF | GM-CSF inhibitor | Mono | - |
| 10 | Immunology | Phase 3 | GSK4527223 | | Iatozinemab | | Antibody | Sortilin | Sortilin inhibitor | Mono | Alecto |
| 11 | Infectious | Phase 3 | GSK2140944 | | gepotidacin | Uncomplicated UTI (acute cystitis) | Small molecules | TOP2 | TOP2 inhibitor | Mono | - |
| 12 | Infectious | Phase 3 | GSK2140944 | | gepotidacin | Urogenital gonorrhoea | Small molecules | TOP2 | TOP2 inhibitor | Mono | - |

| No. | 질환분야 | 개발단계 | 코드 | 제품명 | 성분명 | 적응증 | 물질 | 타겟 | 작용기전 | 단독/병용 | 파트너 |
|-----|------------|---------|-------------|------------|----------------------|---|-----------------|-----------------------------|---|-------------|---------------|
| 13 | Infectious | Phase 3 | GSK3536819A | | | Meningococcal A, C, W, Y disease prophylaxis, adolescents | Vaccine | N/A | Recombinant protein conjugated vaccine | Mono | - |
| 14 | Infectious | Phase 3 | GSK3536829A | Bexsero | | Meningococcal B disease prophylaxis, infants | Vaccine | N/A | Recombinant protein vaccine | Mono | - |
| 15 | Infectious | Phase 3 | GSK3844766A | | | Respiratory syncytial virus prophylaxis, older adult | Vaccine | N/A | Recombinant protein adjuvanted vaccine | Mono | - |
| 16 | Infectious | Phase 3 | GSK4182136 | Xevudy | sotrovimab | COVID-19 hospitalized | Antibody | SARS-CoV-2, SARS, ACE2, CD4 | Anti-spike protein antibody | Mono | - |
| 17 | Infectious | Phase 3 | GSK4382371A | SKYCovione | | COVID-19 | Vaccine | SARS-CoV-2 | Recombinant protein nanoparticle-adjuvanted vaccine | Mono | SK Bioscience |
| 18 | Oncology | Phase 3 | GSK2857916 | Blenrep | belantamab mafodotin | 3L multiple myeloma | ADC | BCMA | Cytotoxic to cells expressing BCMA | Mono | - |
| 19 | Oncology | Phase 3 | GSK2857916 | Blenrep | belantamab mafodotin | 2L multiple myeloma combination with Pomalyst+dexamethasone | ADC | BCMA | Cytotoxic to cells expressing BCMA | Combination | - |
| 20 | Oncology | Phase 3 | GSK2857916 | Blenrep | belantamab mafodotin | 2L multiple myeloma combination with Velcade+dexamethasone | ADC | BCMA | Cytotoxic to cells expressing BCMA | Combination | - |
| 21 | Oncology | Phase 3 | GSK3985771 | Zejela | niraparib | 1L maintenance ovarian cancer combination with Jemperli | Small molecules | PARP 1/2 | PARP 1/2 inhibitor | Combination | - |
| 22 | Oncology | Phase 3 | GSK3985771 | Zejela | niraparib | 1L maintenance NSCLC combination with pembrolizumab | Small molecules | PARP 1/2 | PARP 1/2 inhibitor | Combination | - |
| 23 | Oncology | Phase 3 | GSK3985771 | Zejela | niraparib | Pre-metastatic, select biomarker population breast cancer | Small molecules | PARP 1/2 | PARP 1/2 inhibitor | Mono | - |
| 24 | Oncology | Phase 3 | GSK4057190 | Jemperli | dostarlimab | 1L endometrial cancer | Antibody | PD-1 | PD-1 antagonist | Mono | AnaptysBio |

| No. | 질환분야 | 개발단계 | 코드 | 제품명 | 성분명 | 적응증 | 물질 | 타겟 | 작용기전 | 단독/병용 | 파트너 |
|-----|-------------|---------|-------------|----------|--------------|---|-----------------|----------|---|-------------|------------|
| 25 | Oncology | Phase 3 | GSK4057190 | Jemperli | dostarlimab | 1L endometrial cancer combination with niraparib | Antibody | PD-1 | PD-1 antagonist | Combination | AnaptysBio |
| 26 | Respiratory | Phase 3 | GSK3511294 | | depemokimab | Asthma | Antibody | IL-5 | IL-5 antagonist | Mono | - |
| 27 | Respiratory | Phase 3 | SB240563 | Nucala | mepolixumab | COPD | Antibody | IL-5 | IL-5 antagonist | Mono | - |
| 28 | Immunology | Phase 2 | GSK4527223 | | Iatozinemab | Amyotrophic lateral sclerosis | Antibody | Sortilin | Sortilin inhibitor | Mono | Alecto |
| 29 | Immunology | Phase 2 | GSK4527223 | | | Frontotemporal dementia | Antibody | Sortilin | Sortilin inhibitor | Mono | Alecto |
| 30 | Infectious | Phase 2 | GSK3036656 | | | Tuberculosis | Small molecules | LARS | LARS inhibitor | Mono | - |
| 31 | Infectious | Phase 2 | GSK3228836 | | bepirovirsen | Hepatitis B | RNA | N/A | ASO | Mono | Ionis |
| 32 | Infectious | Phase 2 | GSK3228836 | | bepirovirsen | Hepatitis B sequential combination with Pegylated Interferon | RNA | N/A | ASO | Combination | Ionis |
| 33 | Infectious | Phase 2 | GSK3437949A | | | Malaria prophylaxis | Vaccine | N/A | Recombinant protein-adjuvanted vaccine | Mono | - |
| 34 | Infectious | Phase 2 | GSK3528869A | | | Chronic hepatitis B infections | Vaccine | N/A | Prime-boost with viral vector vaccines co- or sequentially administrated with adjuvanted recombinant proteins vaccine | Mono | - |
| 35 | Infectious | Phase 2 | GSK3640254 | | | HIV | Small molecules | N/A | HIV maturation inhibitor | Mono | - |
| 36 | Infectious | Phase 2 | GSK3878858A | | | Primary and recurrent soft-skin-tissue infections caused by S. aureus | Vaccine | N/A | Recombinant protein-bio conjugated- adjuvanted vaccine | Mono | - |

| No. | 질환분야 | 개발단계 | 코드 | 제품명 | 성분명 | 적응증 | 물질 | 타겟 | 작용기전 | 단독/병용 | 파트너 |
|-----|----------------|---------|-------------|----------|--------------------------|--|--------------|-----------------------|--|-------------|-----------------|
| 37 | Infectious | Phase 2 | GSK4023393A | | | Meningococcal A, B, C, W, Y disease prophylaxis in adolescents | Vaccine | N/A | Recombinant protein-conjugated vaccine | Mono | - |
| 38 | Infectious | Phase 2 | GSK4069327A | | | Shigella diarrhea prophylaxis | Vaccine | N/A | Recombinant protein-adjuvanted vaccine | Mono | - |
| 39 | Infectious | Phase 2 | GSK4178116A | | | varicella, 12 months of age and older | Vaccine | N/A | Live attenuated vaccine | Mono | - |
| 40 | Infectious | Phase 2 | GSK4388067A | | | Chronic hepatitis B virus infection, >18 yrs w/o decompensated cirrhosis | Protein | N/A | Targeted immunotherapy&direct acting antiviral | Combination | - |
| 41 | Infectious | Phase 2 | VH3810109 | | | HIV | Antibody | Surface Protein gp120 | Surface Protein gp120 inhibitor | Mono | Viiv Healthcare |
| 42 | Oncology | Phase 2 | GSK2857916 | Blenrep | belantamab mafodotin | Multiple myeloma combination with anti-cancer treatment | ADC | BCMA | Cytotoxic to cells expressing BCMA | Combination | - |
| 43 | Oncology | Phase 2 | GSK3377794 | | letetresogene-autoleucel | 2L+ synovial sarcoma and myxoid/round cell liposarcoma | Cell Therapy | CTAG1B | Cytotoxic to cells expressing CTAG1B | Mono | - |
| 44 | Oncology | Phase 2 | GSK4057190 | Jemperli | dostarlimab | NSCLC combination with Jemperli and docetaxel | Antibody | PD-1 | PD-1 antagonist | Combination | - |
| 45 | Oncology | Phase 2 | GSK4069889 | | cobolimab | NSCLC combination with Jemperli and docetaxel | Antibody | TIM3 | TIM3 inhibitor | Combination | AnaptysBio |
| 46 | Cardiovascular | Phase 1 | GSK3884464 | | | Heart failure | N/A | N/A | N/A | Mono | - |
| 47 | Immunology | Phase 1 | GSK1070806 | | | Atopic dermatitis | Antibody | IL-18 | IL-18 inhibitor | Mono | - |
| 48 | Immunology | Phase 1 | GSK3858279 | | | Osteoarthritis pain | Antibody | CCL17 | CCL17 inhibitor | Mono | - |
| 49 | Immunology | Phase 1 | GSK3888130 | | | Multiple sclerosis | Antibody | IL-7 | IL-7 inhibitor | Mono | - |

| No. | 질환분야 | 개발단계 | 코드 | 제품명 | 성분명 | 적응증 | 물질 | 타겟 | 작용기전 | 단독/병용 | 파트너 |
|-----|----------------|---------|-------------|----------|--------------------------|--|--------------|-----------------------|--|-------------|-----------------|
| 37 | Infectious | Phase 2 | GSK4023393A | | | Meningococcal A, B, C, W, Y disease prophylaxis in adolescents | Vaccine | N/A | Recombinant protein-conjugated vaccine | Mono | - |
| 38 | Infectious | Phase 2 | GSK4069327A | | | Shigella diarrhea prophylaxis | Vaccine | N/A | Recombinant protein-adjuvanted vaccine | Mono | - |
| 39 | Infectious | Phase 2 | GSK4178116A | | | varicella, 12 months of age and older | Vaccine | N/A | Live attenuated vaccine | Mono | - |
| 40 | Infectious | Phase 2 | GSK4388067A | | | Chronic hepatitis B virus infection, >18 yrs w/o decompensated cirrhosis | Protein | N/A | Targeted immunotherapy&direct acting antiviral | Combination | - |
| 41 | Infectious | Phase 2 | VH3810109 | | | HIV | Antibody | Surface Protein gp120 | Surface Protein gp120 inhibitor | Mono | Viiv Healthcare |
| 42 | Oncology | Phase 2 | GSK2857916 | Blenrep | belantamab mafodotin | Multiple myeloma combination with anti-cancer treatment | ADC | BCMA | Cytotoxic to cells expressing BCMA | Combination | - |
| 43 | Oncology | Phase 2 | GSK3377794 | | letetresogene-autoleucel | 2L+ synovial sarcoma and myxoid/round cell liposarcoma | Cell Therapy | CTAG1B | Cytotoxic to cells expressing CTAG1B | Mono | - |
| 44 | Oncology | Phase 2 | GSK4057190 | Jemperli | dostarlimab | NSCLC combination with Jemperli and docetaxel | Antibody | PD-1 | PD-1 antagonist | Combination | - |
| 45 | Oncology | Phase 2 | GSK4069889 | | cobolimab | NSCLC combination with Jemperli and docetaxel | Antibody | TIM3 | TIM3 inhibitor | Combination | AnaptysBio |
| 46 | Cardiovascular | Phase 1 | GSK3884464 | | | Heart failure | N/A | N/A | N/A | Mono | - |
| 47 | Immunology | Phase 1 | GSK1070806 | | | Atopic dermatitis | Antibody | IL-18 | IL-18 inhibitor | Mono | - |
| 48 | Immunology | Phase 1 | GSK3858279 | | | Osteoarthritis pain | Antibody | CCL17 | CCL17 inhibitor | Mono | - |
| 49 | Immunology | Phase 1 | GSK3888130 | | | Multiple sclerosis | Antibody | IL-7 | IL-7 inhibitor | Mono | - |

| No. | 질환분야 | 개발단계 | 코드 | 제품명 | 성분명 | 적응증 | 물질 | 타겟 | 작용기전 | 단독/병용 | 파트너 |
|-----|------------|---------|-------------|-----|--------------|---|-----------------|---------------------------------------|---|-------|-----------------------|
| 50 | Immunology | Phase 1 | GSK3915393 | | | Celiac disease | Small molecules | TG2 | TG2 inhibitor | Mono | - |
| 51 | Infectious | Phase 1 | BH4004280 | | | HIV | N/A | N/A | HIV capsid protein inhibitor | Mono | - |
| 52 | Infectious | Phase 1 | BVL-GSK098 | | | Tuberculosis | Small molecules | EthR | EthR inhibitor | Mono | BioVersys |
| 53 | Infectious | Phase 1 | GSK1265744 | | cabotegravir | HIV | Small molecules | HIV integrase | HIV integrase inhibitor | Mono | Viiv Healthcare |
| 54 | Infectious | Phase 1 | GSK2556286 | | | Tuberculosis | Small molecules | N/A | Mtb cholesterol dependent inhibitor | Mono | - |
| 55 | Infectious | Phase 1 | GSK2904545A | | | Primary C. Diff disease and for recurrences | Vaccine | N/A | Recombinant protein-adjuvanted vaccine | Mono | - |
| 56 | Infectious | Phase 1 | GSK3186899 | | | Visceral leishmaniasis | Small molecules | CRK-12 | CRK-12 inhibitor | Mono | - |
| 57 | Infectious | Phase 1 | GSK3494245 | | | Visceral leishmaniasis | Small molecules | Proteasome | Proteasome inhibitor | Mono | - |
| 58 | Infectious | Phase 1 | GSK3882347 | | | uncomplicated UTI | Small molecules | FimH | FimH antagonist | Mono | Fimbrion Therapeutics |
| 59 | Infectious | Phase 1 | GSK3923868 | | | Viral COPD exacerbations | Small molecules | PI4K | PI4K beta inhibitor | Mono | - |
| 60 | Infectious | Phase 1 | GSK3943104A | | | Genital Herpes, adults | Vaccine | N/A | Recombinant protein-adjuvanted vaccine | Mono | - |
| 61 | Infectious | Phase 1 | GSK3993129A | | | Cytomegalovirus infection prophylaxis | Vaccine | N/A | Recombinant subunit-adjuvanted vaccine | Mono | - |
| 62 | Infectious | Phase 1 | GSK4182137 | | | COVID-19 | Antibody | Novel corona virus spike glycoprotein | Novel corona virus spike glycoprotein inhibitor | Mono | - |

| No. | 질환분야 | 개발단계 | 코드 | 제품명 | 성분명 | 적응증 | 물질 | 타겟 | 작용기전 | 단독/병용 | 파트너 |
|-----|--------------|---------|-------------|---------|---------------------|--|-----------------|-------------|---|-------------|-------------------|
| 63 | Infectious | Phase 1 | GSK4382276A | | | Influenza, adults | Vaccine | N/A | mRNA vaccine | Mono | - |
| 64 | Infectious | Phase 1 | GSK4396687A | | | COVID-19, 12 yrs and above | Vaccine | N/A | mRNA vaccine | Mono | - |
| 65 | Infectious | Phase 1 | GSK4429016A | | | Klebsiella pneumoniae prophylaxis | Vaccine | N/A | Recombinant protein-bio conjugated-adjuvanted vaccine | Mono | - |
| 66 | Infectious | Phase 1 | VH3739937 | | | HIV | Small molecules | N/A | HIV maturation inhibitor | Mono | ViiV Healthcare |
| 67 | Infectious | Phase 1 | VIR-2482 | | | Influenza | Antibody | N/A | N/A | Mono | Vir Biotechnology |
| 68 | Metabolic | Phase 1 | GSK4532900 | | | Non-alcoholic steatohepatitis (NASH) | N/A | HSD17B13 | HSD17B13 silencer | Mono | - |
| 69 | Neuroscience | Phase 1 | GSK4527226 | | | Neurodegenerative disease | Antibody | Sortilin | Sortilin inhibitor | Mono | Alector |
| 70 | Oncology | Phase 1 | GSK2857916 | Blenrep | gelatamab mafodotin | 1L multiple myeloma combination with Velcade, Revlimid and dexamethasone | ADC | BCMA | Cytotoxic to cells expressing BCMA | Combination | - |
| 71 | Oncology | Phase 1 | GSK3537142 | | | Cancer | Protein | NY-ESO, CD3 | NY-ESO inhibitor, CD3 agonist | Mono | - |
| 72 | Oncology | Phase 1 | GSK3745417 | | | Cancer | Small molecules | STING | STING agonist | Mono | - |
| 73 | Oncology | Phase 1 | GSK3845097 | | | Cancer | Cell Therapy | NY-ESO | Cytotoxic to cells expressing NY-ESO | Mono | - |
| 74 | Oncology | Phase 1 | GSK3901961 | | | Cancer | Cell Therapy | NY-ESO | Cytotoxic to cells expressing NY-ESO | Mono | - |

| No. | 질환분야 | 개발단계 | 코드 | 제품명 | 성분명 | 적응증 | 물질 | 타겟 | 작용기전 | 단독/병용 | 파트너 |
|-----|----------|---------|-------------|-----|-----|--------|-----------------|-------|------------------|-------|--------------------|
| 75 | Oncology | Phase 1 | GSK4074386 | | | Cancer | Antibody | LAG-3 | LAG-3 inhibitor | Mono | - |
| 76 | Oncology | Phase 1 | GSK4362676 | | | Cancer | Small molecules | MAT2A | MAT2A inhibitor | Mono | Ideaya Biosciences |
| 77 | Oncology | Phase 1 | GSK4381562 | | | Cancer | Antibody | PVRIG | PVRIG antagonist | Mono | Surface Oncology |
| 78 | Oncology | Phase 1 | GSK-4428859 | | | Cancer | Antibody | TIGIT | TIGIT antagonist | Mono | - |
| 79 | Oncology | Phase 1 | GSK6097608 | | | Cancer | Antibody | CD96 | CD96 antagonist | Mono | - |
| 75 | Oncology | Phase 1 | GSK4074386 | | | Cancer | Antibody | LAG-3 | LAG-3 inhibitor | Mono | - |
| 76 | Oncology | Phase 1 | GSK4362676 | | | Cancer | Small molecules | MAT2A | MAT2A inhibitor | Mono | Ideaya Biosciences |
| 77 | Oncology | Phase 1 | GSK4381562 | | | Cancer | Antibody | PVRIG | PVRIG antagonist | Mono | Surface Oncology |
| 78 | Oncology | Phase 1 | GSK-4428859 | | | Cancer | Antibody | TIGIT | TIGIT antagonist | Mono | - |
| 79 | Oncology | Phase 1 | GSK6097608 | | | Cancer | Antibody | CD96 | CD96 antagonist | Mono | - |

자료: GSK 홈페이지, BioCentury, GlobalData